

# Garage Heaters Take Back Your Garage





Works Smarter. Not Harder.

KB ECO2S Series Heater 2-Stage Garage Heater with IR Remote Control

eco#

# Electronic 2-Stage Garage Heater

Featured:





MITE



## 208/240 Volts 4KW-15KW

#### Features

- ECO2S electronic controller
- Automatic 2-stage heating
- ON/OFF/Fan/Timer modes
- Spiral fin steel element
- IR Remote included
- Wall/Ceiling bracket
- Hardwired, no cord provided



Heats Up to 1,100 Sq Ft 13,500-51,200 BTU 400-925 CFM

Heavy Duty Electronic Unit Heater KB Platinum Series



# 208/240/277/480 Volts 3KW-40KW

### Features

- Accurate electronic temperature controller
- ON/OFF/FAN/TIMER modes
- IR Remote control included
- Wall/Ceiling bracket
- Permanently lubricated unit bearing motor
- Hardwired, no cord provided



Heats Up to 10,000 Sq Ft

# Portable Space Heater PSH1215T







## 120 Volts 1.5KW

#### Features

- Thermostat
- On/Off switch
- Power indicator light
- Spiral fin steel element
- High limit safety control
- Adjustable tilt control
- 6 Ft grounded cord-15A plug



#### Heats Up to 150 Sq Ft 5,118 BTU 150 CFM

# Compact Garage Heater EKB Series









## 208/240 Volts 2.85KW-5KW

#### Features

- Dual quick heat nichrome elements
- Long life unit bearing motor
- Thermostat
- Patented Smart Limit Protection®
- Wall/Ceiling bracket Hardwired, no cord provided



Heats Up to 450 Sq Ft 17,000 BTU 400 CFM







ntertek

## 208/240 Volts 3KW/4KW

#### Features

- Thermostat
- On/Off switch
- Power indicator light
- Spiral fin steel element
- High limit safety control
- Wall/Ceiling bracket
- 6 Ft grounded cord-20A plug



Heats Up to 450 Sq Ft 13,500-17,000 BTU 300-400 CFM

# Compact Multi-Watt Garage Heater KBP Series











## 120/208/240/277/480 Volts 950W-6KW

#### Features

- Dual-Pic-A-Watt® elements
- Multiple wattage selection
- Long life cast iron motor
- Thermostat
- Fan/Heat/Off switch & Fan delav
- Wall/Ceiling bracket
- Patented Smart Limit Protection®
- Hardwired, no cord provided



Heats Up to 700 Sq Ft 10,200-20,500 BTU 385 CFM

# Portable Garage Heater PSH2440TB

Yellow Jacket Junior







## 208/240 Volts 3KW/4KW

#### Features

- Thermostat
- On/Off switch
- Power indicator light
- Spiral steel element
- Manual reset limit safety control
- Wall/Ceiling bracket
- 6 Ft grounded cord-20A plug



Heats Up to 400 Sq Ft Up to 13,500 BTU 300 CFM

# Compact Heavy Duty Garage Heater GH Series











## 208/240 Volts 5KW-10KW

#### Features

- Thermostat
- Spiral fin steel element
- High-Low switch (Except 5KW model)
- Power indicator light
- Patented Smart Limit Protection®
- Wall/Ceiling bracket
- Provision for remote thermostat
- Hardwired, no cord provided



Heats Up to 900 Sq Ft 17,200-42,700 BTU 400-825 CFM

12 Ft	10 Ft	8 Ft	Ceiling Height
5,300	4,850	4,400	1 Car Garage Coverage Up to 450 Sq Ft
8,200	7,500	6,850	2 Car Garage Coverage
12,600	10,900	9,100	3 Car Garage Coverage Up to 900 Sq Ft
14,100	12,950	11,750	4 Car Garage Coverage Up to 1,100 Sq Ft

\* Select the heater closest to the wattage noted in the chart, size up to the next heater when the wattage does not match This Chart is based on the heater producing a 60°F Temperature rise, for example when the outside is 10°F the garage

For additional garage heating application information refer to the King website link: could be heated to 70°F, but not more. In addition, the chart assumes the garage is adequately insulated for the local climate.

http://king-electric.com/pro-tips/garage-heaters-sizing-chart

King Electrical Manufacturing Company 9131 10th Avenue South, Seattle WA 98108 phone 206.762.0400 fax 206.763.7738

www.king-electric.com

쇼 king

Smart Heating Solutions