

Industrial & Commercial Portable Electric Heaters

NEED HEAT?

For Rental Services & Temporary Heating Applications



Temporary Heating Solutions For Any Job!

From smaller portable electric heaters to industrial & commercial units designed to heat large construction projects, we've got you covered.

Portable Electric Advantages

- 100% clean, dry heat no moisture added to air
- No exhaust can be used in confined spaces
- No need for gas line or propane
- Quiet operation
- Ductable & non-ductable models available

Applications

- Temporary heating for contractors & special events
- Emergency situations heat loss, thawing of frozen pipes

Capacity

5 kW / 7.5kW / 10kw / 15kW / 20kW / 25kW

All Units Provide Dry Heat Does Not Add Moisture To Environment

Portable Wheeled Unit Heater

PCKW Series



UP TO 2500 SQ FT 34,100-85,250 BTU 1,000-1500 CFM

208/240/480V 10kW-25kW 1-3 Phase

- High mass steel fin heat exchangers
- Adjustable louvers
- Large capacity dual-inlet blower handles high static pressure
- Built-In thermostat (40°-100°F)
- Washable intake air filters
- Front and back carrying handles & heavy-duty pneumatic wheels
- Heat switch & fan only switch
- Long life 48 frame totally enclosed motor
- N.E.M.A. 12" gasket construction





6ft. SO cord (no plug)

Industrial Portable Unit Heater PKB-FM Series



UP TO 2000 SQ FT 17,100-68,200 BTU 400-1100 CFM

> 208/240/480V 5kW-20kW 1-3 Phase

d king

- Stackable Design
- Adjustable louvers
- Built-in thermostat (40°-100°F)
- Carry handles & rubber feet
- Fan only switch
- 6ft. SO cord (no plug)



Portable Outdoor Rated Unit Heater PCKF Series



UP TO 2500 SQ FT 34,100-85,250 BTU 1,000-1500 CFM

208/240/480V 10kW-25kW 1-3 Phase

- UL approved for outdoor use
- 12" duct transition collar
- Large capacity dual-inlet blower handles high static pressure

Bking

- Remote thermostat with 100' cord for temp control
- 24V control for heat or fan only
- High mass steel fin heat exchanger
- Long life 48 frame totally enclosed motor
- N.E.M.A. 12" gasket construction



Ducted Portable Unit Heater PKB-DT-OR Series



UP TO 1500 SQ FT 17,100-51,200 BTU 400-925 CFM

> 208/240/480V 5kW-15kW 1-3 Phase

- 12" Duct transition collar
- Spiral finned heat elements
- Built-in thermostat (40°-100°F)
- Carry handles & rubber feet
- Fan only switch
- 6ft. SO cord (no plug)



d king

Electronic Portable Wheeled Unit Heater PKB Platinum Series

INT

F



UP TO 2000 SO FT 25.600-68.200 BTU 400-1100 CFM

208/240/480V 7.5kW-20kW 1-3 Phase

- Platinum electronic temperature sensing
- Large LED display
- Remote control included
- Fan only & timer modes
- Adjustable louvers
- Long life unit bearing motor
- Spiral finned heat elements
- 6ft. SO cord (no plug)

Stainless Portable Unit Heater PKBS Series



UP TO 2000 SQ FT 17,100-68,200 BTU 400-1100 CFM

> 208/240/480V 5kW-20kW 1-3 Phase

d king

- Stainless steel for periodic hose down
- Adjustable louvers
- Built-in thermostat (40°-100°F)
- Carry handles & rubber feet
- Fan only switch
- 6ft. SO cord (no plug)





High Velocity Wall Fans WFO Series



4900-8200 CFM 70-75 DB Noise Level

24" / 30" Oscillating Commercial Wall Mount

DOOA

Features

- 3-Speed pull chain switch
- (3) aerodynamically balanced blades
- Meets OSHA 1910.212(A)(5) requirements
- 9 ft, 120V grounded cord & plug
- Scratch resistant, powder- coated finish

Optional Misting Kit (Shown)



High Velocity Pedestal Fans PFO Series



4900-8200 CFM 70-75 DB Noise Level



Optional Misting Kit (Shown)

24" / 30" Oscillating Commercial Pedestal

Features

- 3-Speed pull chain switch
- (3) aerodynamically balanced blades
- Meets OSHA 1910.212(A)(5) requirements
- 9 ft, 120V grounded cord & plug
- Scratch resistant, powder- coated finish
- Adjustable height from 57" to 75"





REV_3-11-24

King Electrical Manufacturing Company 9131 10th Avenue South, Seattle WA 98108 phone 206.762.0400 fax 206.763.7738 king-electric.com



Item I

Category

Applica

Max SqF

Voltage

Wattage

Phasin

Power S

BTU Out

CFM

Energy-Built-In 1

Adjusta

Power I

ON/OFF

High/Lo

Fan Only

Built-In

Eleme

High Lir

Auto Far Ductabl

Wet Loca

Instructi Mountir

Warran

Factory Electro

Made In

<u>b</u> king Smart Heating Solutions

Industrial & Commercial Portable Electric Heaters









Number	РКВ-FМ	PKB-DT	PKBS	PKB Platinum
ry	Industrial Portable	Industrial Portable	Industrial Portable	Industrial Portable
ation	Portable Large Faciity Coverage			
ıFt (8Ft Ceiling)	Up to 2,000 SqFt	Up to 1,500 SqFt	Up to 2,000 SqFt	Up to 2,000 SqFt
)	208, 240, 480	208, 240, 480	208, 240, 480	208, 240, 480
es Available	5,000 - 20,000	5,000 - 15,000	5,000 - 20,000	7,500 - 20,000
g Available	1PH or 1-3Ph	1PH or 1-3Ph	1PH or 1-3Ph	1PH or 1-3Ph
Supply	Portable	Portable	Portable	Portable
ıtput	17,100 - 68,200	17,100 - 51,200	17,100 - 68,200	25,600 - 68,200
	400 - 1100	400 - 925	400 - 1100	400 - 1100
-Saving 2-Stage Heating	NO	NO	NO	NO
n Thermostat	Bi-Metal	Bi-Metal	Bi-Metal	Electronic
able Louvers	YES	NO	YES	YES
Indicator Light	NO	NO	NO	YES
F Switch	NO	NO	NO	YES
DW	NO	NO	NO	NO
ly Switch	YES	YES	YES	YES
n Timer	NO	NO	NO	1-9 Hrs
nt Construction	Spiral Fin	Spiral Fin	Spiral Fin Stainless	Spiral Fin
mit Safety Control	Self-Hold	Self-Hold	Self-Hold	Self-Hold
an Delay	YES	YES	YES (Models 12.5-kW & Above)	YES
le	NO	Ductable On Outlet	NO	NO
cation Rating	NO	NO	NO	NO
tion Manual	YES	YES	YES	YES
ng Diagram	NO	NO	NO	YES
ıty	2-Year	2-Year	2-Year	2-Year
y Tech Support	YES	YES	YES	YES
nic Controls	NO	NO	NO	YES
e Control	NO	NO	NO	YES
n USA	YES	YES	YES	YES

king-electric.com







PCKW

Wheeled Industrial Portable
Portable Large Faciity Coverage
Up to 2,500 SqFt
208, 240, 480
10,000 - 25,000
1PH or 1-3Ph
Portable
34,100 - 85,250
1000 - 1500
NO
YES
YES
NO
YES
NO
YES
NO
Spiral Fin
Auto Reset
YES
NO
NO
YES
NO
2-Year
YES
NO
NO
YES



PCKF

Outdoor Rated Industrial Portable Portable Outdoor Coverage Up to 2,500 SqFt 208, 240, 480 10,000 - 25,000 1PH or 1-3Ph Portable 34,100 - 85,250 1000 - 1500 Remote Stat & 100' Cord NO NO NO NO YES NO Spiral Fin Auto Reset Ductable On Outlet YES NO 2-Year NO NO

