


NPR


New Product Release

Heat Kit Includes:



KRFTP-B

7-Day Programmable RF Thermostat



KRFR-24V

24V AC or DC HVAC Relay



Therma**Link**

KRF-24V-KIT

Wireless 24V Multi-System
RF Thermostat Kit
For 24V HVAC Control

7-Day Programmable
24V RF Thermostat that
communicates wirelessly
using a 915 MHz signal with
a 24V AC or DC relay
wired to the HVAC unit.

Available optional wireless
RF Sensors to limit operation based on room
occupancy, a window left open or outdoor
air temperature conditions.



KRF-24V-KIT


Wireless 24V Multi-System RF Thermostat Kit

A Smart System Designed to Control 24V AC or DC HVAC Systems, Such as Heat Pumps, PTAC Units or Conventional Systems, Using Radio Frequency (RF) Signals for Communication.


Customer Needs

1. Since the thermostat communicates wirelessly with the HVAC relay, it can be installed anywhere in the room without the need for complex wiring between the thermostat and the HVAC System. This makes installation quick and easy, especially in retrofit scenarios or where running new wires is difficult or costly.

2. Thermostats placed near drafts, sunlight, or vents can misread temperatures, causing uneven comfort. Thermalink's wireless design lets you easily move it to a better spot for more accurate, consistent climate control—no rewiring needed.



KRFTP-B



KRFR-24V

Features

Benefits

24V or Battery Powered Thermostat	Low voltage (24V), is safer and doesn't require a dedicated circuit.
7-Day Programmable Heating/Cooling Schedule	Meets State Energy Code Requirements
Thermostat & Relay Communicate Wirelessly using 915 MHz RF Signals* *KRFR relay is hardwired to the HVAC unit	Lower installation costs - No wiring required between devices
Optional Wireless RF Accessories: Master Switch, Occupancy or Door/Window Sensors	Set back the entire apartment with push of a button or based on occupancy, etc

Applications

- Multi-Family Apartments • Low-Income Housing • Office Buildings • Hotels & Hospitality
- Single Family Homes • States With Strict Energy Codes • Healthcare Facilities

KRF-24V-KIT

Wireless 24V Multi-System RF Thermostat Kit

(Includes Both Specifications)

KRFR-24V

Power Source: 18 to 30 VAC, 50/60 Hz
hardwired or 1 x AA Battery powered

7-day programmable schedule

Touch Screen LCD display.

Range: 44°F to 90°F (7°C to 32°C)

Display Accuracy: $\pm 1^\circ\text{F}$

Wireless Two-way Communication

Working frequency: 915 MHz

Working distance: 98.5 feet

Keypad lockout

Maximum Heat Temperature Limits

44°F to 90°F

KRFR-24V HVAC Relay Specs

Input Rating: 24Vac/24Vdc, 2A

Wireless Two-way Communication

Working Frequency: 915 MHz

Working Distance: 98.5 feet

WARRANTY

2-Year Limited Warranty

NPR



New Product Release

**A Smart, Wireless Solution For Virtually Any
HVAC Setup Without The Need For Wiring
Between The HVAC Unit and Thermostat.**

Better Comfort through Better Engineering.


RF Wireless Communication



Smart Controls For
Most HVAC Setups



Advanced Features for Ease of Use & Flexibility



KRFR-24V


ThermaLink

Electronic Temperature Controller- For Temperature Accuracy $\pm 1^\circ\text{F}$

915 MHz Wireless Two-Way Communication

Electronic Touch Screen with backlight LCD display

Available Optional RF Sensors For Precision Control
– Occupancy, Window, Door, Outdoor Temp Sensor




KRFTP-B



Therma**Link**

Wireless RF 24V HVAC Control

Thermostat System Diagram



Ordering Information - Complete Kit

MODEL	UPC	DESCRIPTION
KRF-24V-KIT	70426	RF Thermostat Kit, w/ KRFTP-B Programmable BP Thermostat, KRFR-24V HVAC Relay

Order A'la Carte

MODEL	UPC	DESCRIPTION
KRFTP-B	70134	Programmable Battery Powered Multi-System RF Thermostat
KRFR-24V	70136	20A Heat Relay, 120V or 240V

Optional Accessories

MODEL	UPC	DESCRIPTION
KRF-PIR-SENSOR	70152	PIR Sensor, Battery Powered, For KRFTP Thermostat
KRF-OUTDOOR-SENSOR	70153	Outdoor Temperature Sensor, Battery Powered, For KRFTP Thermostat
KRF-REPEATER	70154	RF Repeater, USB Powered, For KRFTP Thermostat
KRF-WINDOW-SENSOR	70155	Window/Door Sensor, Battery Powered, For KRFTP Thermostat
KRF-MASTERSWITCH	70156	Master Switch, Battery Powered, For KRFTP Thermostat