

Industrial & Commercial Portable Electric Heaters

NEED HEAT?

For Rental Services & **Temporary Heating Applications**



Temporary Heating **Solutions** For Any Job!

From smaller portable electric heaters to industrial & commercial units designed to heat large construction projects, we've got you covered.

Portable Electric Advantages

- 100% clean, dry heat no moisture added to air
- No exhaust can be used in confined spaces
- No need for gas line or propane
- Quiet operation
- Ductable & non-ductable models available

Applications

- Temporary heating for contractors & special events
- Emergency situations heat loss, thawing of frozen pipes

Capacity

5 kW / 7.5kW / 10kw / 15kW / 20kW / 25kW

All Units Provide Dry Heat Does Not Add Moisture To Environment

Portable Wheeled Unit Heater **PCKW Series**



UP TO 2500 SQ FT 34,100-85,250 BTU 1,000-1500 CFM





- Adjustable louvers
- Large capacity dual-inlet blower handles high static pressure
- Built-In thermostat (40°-100°F)

High mass steel fin heat exchangers

- Washable intake air filters
- Front and back carrying handles & heavy-duty pneumatic wheels
- Heat switch & fan only switch
- Long life 48 frame totally enclosed motor
- N.E.M.A. 12" gasket construction



Industrial Portable Unit Heater PKB-FM Series



UP TO 2000 SQ FT 17,100-68,200 BTU 400-1100 CFM

> 208/240/480V 5kW-20kW 1-3 Phase



- Stackable Design
- Adjustable louvers
- Built-in thermostat (40°-100°F)
- Carry handles & rubber feet
- Fan only switch
- 6ft. SO cord (no plug)







A MADE IN CUL US USA USTED



Portable Outdoor Rated Unit Heater **PCKF Series**

2Year Warrant_\

UP TO 2500 SQ FT 34,100-85,250 BTU 1,000-1500 CFM

208/240/480V 10kW-25kW 1-3 Phase



- Large capacity dual-inlet blower handles high static pressure
- Remote thermostat with 100' cord for temp control
- 24V control for heat or fan only
- High mass steel fin heat exchanger
- Long life 48 frame totally enclosed motor
- N.E.M.A. 12" gasket construction







UP TO 2000 SQ FT 25,600-68,200 BTU 400-1100 CFM

208/240/480V 7.5kW-20kW 1-3 Phase

- Platinum electronic temperature sensing
- Large LED display
- Remote control included
- Fan only & timer modes
- Adjustable louvers
- Long life unit bearing motor
- Spiral finned heat elements

Stainless Portable Unit Heater

• 6ft. SO cord (no plug)



7300-17800 CFM 73-81 DB Noise Level

DFC Series



24" / 30" / 36" /42" / 48" 120V Belt Drive / Direct Drive

Features

- 2-Speed switch motor
- Aerodynamically balanced blades

High Velocity Drum Fans

- Convenient handles & rugged wheels
- Meets OSHA 1910.212(A)(5) requirements
- 9 ft, 120V grounded cord & plug
- Scratch resistant, powder- coated finish







8800-91000 CFM 74-76 DB Noise Level



24" / 30" 120V Direct Drive

Features

- 2-Speed pull chain switch
- 3 aerodynamically balanced blades
- Meets OSHA 1910.212(A)(5) requirements
- 9 ft, 120V grounded cord & plug
- Scratch resistant, powder- coated finish
- Adjustable height from 57" to 75"





REV 3-02-20

King Electrical Manufacturing Company

9131 10th Avenue South, Seattle WA 98108 phone 206.762.0400 fax 206.763.7738 king-electric.com

Ducted Portable Unit Heater PKB-DT Series



17,100-51,200 BTU 400-925 CFM

> 208/240/480V 5kW-15kW 1-3 Phase



- Duct transition collar (8" 1PH, except 12/15kW / 12" 3PH Models)
- Spiral finned heat elements
- Built-in thermostat (40°-100°F)
- Carry handles & rubber feet
- Fan only switch
- 6ft. SO cord (no plug)





PKBS Series

UP TO 2000 SQ FT 17,100-68,200 BTU 400-1100 CFM

208/240/480V 5kW-20kW 1-3 Phase

- Stainless steel for periodic hose down
- Adjustable louvers
- Built-in thermostat (40°-100°F)



₫ king






• 6ft. SO cord (no plug)













WISA CO.









king Smart Heating Solutions



Industrial & Commercial Portable Electric Heaters



